



In consideration of Decision Summary BA18011, Authorization BA18011 is issued to:

Name: Feitsma Farms Ltd. (the "permit holder")
Address: RR #1, Dapp AB T0G 0S0
Contact person: Theo Feitsma

Permitted construction (based on the submitted site plan):

- Maternity and milking area addition – 22 m x 25 m
 - Calf and maternity area – 9.7 m x 9.1 m
 - Under floor manure storage pit – 16 m x 11 m x 1.8 m

The permit holder shall comply with the requirements of the *Agricultural Operation Practices Act* (AOPA) and the regulations passed pursuant to that act.

The permit holder shall adhere to the descriptions contained in the filed application together with the site plan, building plans, and other attached documents unless otherwise noted in the following conditions.

The permit holder shall contact the NRCB at least 10 working days in advance of the desired inspection date to schedule the inspection in condition #3.

Construction conditions

1. Construction completion deadline
The permit holder shall complete construction of the maternity addition prior to December 1, 2021. Upon request, this deadline may be extended by the NRCB in writing.
2. Concrete
The concrete used to construct the manure collection and storage liner of the maternity addition must meet the specifications for category B (liquid manure shallow pits) and category D (solid manure - dry) in Technical Guideline Agdex 096-93 "Non-Engineered Concrete Liners for Manure Collection and Storage Areas." The permit holder shall provide written proof to the NRCB confirming the specifications of the concrete used. This document must be provided to the NRCB prior to the inspection referenced in condition #3, below, or by a later date stated by the NRCB.
3. Post construction inspection (prior to populating facility)
The permit holder shall not place manure or livestock in the maternity addition until the NRCB has inspected the facility and stated in writing that it has been constructed in accordance with this authorization.



This authorization becomes effective immediately. Authorization BA18011 should be read in conjunction with previously issued municipal development permits #1073 and #4425. The authorization conditions will remain in effect unless amended in writing by the NRCB.

February 22, 2019

(Original signed)

Nathan Shirley
Approval Officer