
In consideration of Decision Summary LA20019, Authorization LA20019 is issued to:

Name: Elmspring Hutterian Brethren (the "permit holder")
Address: Box 300, Warner AB T0K 2L0
Contact person: David Wipf

Permitted construction (based on the submitted site plan):

- Livestock shelter - 121.9 m x 24.4 m (400 ft. x 80 ft.)
- Two pens - 121.9 m x 24.4 m (400 ft. x 80 ft.) and 82.3 m x 64.0 m (270 ft. x 210 ft.)
- Runoff catchment area - 65 m x 75 m x 1.5 m (213.3 ft. x 246.0 ft. x 4.9 ft.)

The permit holder shall comply with the requirements of the *Agricultural Operation Practices Act* (AOPA) and the regulations passed pursuant to that act.

The permit holder shall adhere to the descriptions contained in the filed application for Authorization LA20019, together with the building plans, engineering reports, and other attached documents, unless otherwise noted in the following conditions.

The permit holder shall contact the NRCB at least 10 working days in advance of the desired inspection date to schedule the inspections in conditions #2 and #4.

The permit holder is responsible for all costs associated with, testing, recording and reporting requirements.

Construction conditions

Livestock shelter

1. The permit holder shall complete construction of the manure collection and storage portions of the dairy steer shelter prior to November 30, 2022. Upon request, this deadline may be extended by the NRCB in writing.
2. The permit holder shall not place livestock or manure in the dairy steer shelter until the NRCB has inspected the shelter and stated in writing that it has been constructed in accordance with this authorization.

Pens

3. The permit holder shall complete construction of the manure collection and storage portions of the dairy steer pens prior to November 30, 2022. Upon request, this deadline may be extended by the NRCB in writing.
4. The permit holder shall not place livestock or manure in the dairy steer pens until the NRCB has inspected the pens and stated in writing that they has been constructed in accordance with this authorization.

Runoff catchment area

5. The permit holder shall not allow manure contaminated runoff to enter the catchment area until the NRCB has inspected the facilities noted in conditions # 1, 2, 3, and 4 above and stated in writing that the permit conditions have all been met.

This authorization becomes effective immediately in conjunction with previously issued Approval LA17051 which remains in effect. The authorization conditions will remain in effect unless amended in writing by the NRCB.

June 17, 2020

(original signed)
Joe Sonnenberg
Approval Officer