



Total permitted animal capacity from all permits for this site:
63,000 chicken pullets

In consideration of Decision Summary RA21011, Approval RA21011 is issued to:

Name: 1126362 Alberta Ltd. operating as Country Hills
Egg Farms (the “permit holders”)
Address: Unit 4102 3961 52 Ave NE Calgary AB T3J 0J8
Contact person: Muneer Gilani

Permitted construction (based on the submitted site plan):

- Pullet barn (103.7 m x 15.9 m)
- Manure storage building (31.5 m x 31.5 m)

Ancillary structure:

- Hallway between the pullet barn and the manure storage building (52 m x 5.5 m).

The co-permit holders shall comply with the requirements of the *Agricultural Operation Practices Act* (AOPA) and the regulations passed pursuant to that act.

The co-permit holders shall adhere to the descriptions contained in the filed application together with the site plan, building plans and other attached documents, unless otherwise noted in the following conditions.

The co-permit holders shall contact the NRCB at least 10 working days in advance of the desired inspection date to schedule the inspection in conditions #2 and #5.

Construction conditions

Pullet barn

1. The concrete used to construct the liner of the pullet barn must meet the specifications for category D (solid manure – dry), in Technical Guideline Agdex 096-93 “Non-Engineered Concrete Liners for Manure Collection and Storage Areas.” The permit holder shall provide written confirmation, signed by a third party, confirming that the concrete used for the manure collection and storage areas of the pullet barn meets the required specifications.
2. The permit holder shall not allow birds or manure in the pullet barn, until the facility has been inspected by NRCB personnel and confirmed by them, in writing, to have been constructed in accordance with the terms and conditions of this permit.
3. The permit holder shall complete construction of the manure collection and storage portions of the pullet barn prior to May 1, 2025. Upon request, this deadline may be extended by the NRCB in writing.



Manure storage building

4. The concrete used to construct the liner of the manure storage building must meet the specifications for category D (solid manure – dry), in Technical Guideline Agdex 096-93 “Non-Engineered Concrete Liners for Manure Collection and Storage Areas.” The permit holder shall provide written confirmation, signed by a third party, confirming that the concrete used for the manure storage areas of the manure storage building meets the required specification.
5. The permit holder shall not allow manure in the manure storage building, until the facility has been inspected by NRCB personnel and confirmed by them, in writing, to have been constructed in accordance with the terms and conditions of this permit.
6. The permit holder shall complete construction of the manure storage portions of the manure storage building prior to May 1, 2025. Upon request, this deadline may be extended by the NRCB in writing.

This Approval becomes effective immediately. The Approval conditions will remain in effect unless amended in writing by the NRCB.

April 14, 2022

(Original Signed)

Francisco Echegaray, P.Ag.
Approval Officer