

In consideration of Decision Summary LA16025A and LA16025, Approval LA16025A is issued to:

Name: Bas Mourik (the 'permit holder')
Address: Box 745, Coalhurst, AB T0L 0V0
Contact person: Bas Mourik

Permitted construction (based on the submitted site plan):

- Barn 3 (15.24 m x 33.53 m (50 ft x 110 ft))

The permit holder shall comply with the requirements of the *Agricultural Operation Practices Act* (AOPA) and the regulations passed pursuant to that act.

The permit holder shall adhere to the descriptions contained in the filed applications for Approval LA16025 and LA16025A and other attached documents, unless otherwise noted in the following conditions.

The permit holder shall contact the NRCB at least 10 working days in advance of the desired inspection date to schedule the inspection in condition 3.

Construction conditions

1. The concrete used to construct the manure storage and collection system in barn 3 must have a minimum 28-day strength of 25 MPa. The permit holder shall provide proof to the NRCB that the specifications of the concrete used in the construction have been met. This document must be provided to the NRCB prior to the inspection referenced in condition 3 below or by a later date stated by the NRCB.

Construction completion deadline

2. The permit holder shall complete construction of barn 3 prior to December 31, 2024.

Post construction inspection

3. The permit holder shall not allow livestock or manure into the barn or manure onto the solid manure storage pad until NRCB personnel have inspected the facilities and confirmed they have been constructed in accordance with the terms and conditions of this permit.

This approval becomes effective immediately and supersedes Approval LA16025. The conditions will remain in effect unless amended in writing by the NRCB. In the case of a conflict between conditions in this permit and previous permits, the conditions in this permit will take precedence.

March 29, 2023

(original signed)
Carina Weisbach
Approval Officer



Approval LA16025A – Appendix

Existing Permitted Facilities

- 3 outside pens with shelter (65 m x 17 m) (Development Permit 94-01)
- Barn 1 (29 m x 12 m with a 8.5 m x 14 m extension) (Development Permit 94-01)
- Barn 2 (34.5 m x 13 m) (Development Permit 95-18)
- 2 bio shelters (coverall) (25.7 m x 10 m each) (Development Permit 97-147)
- Solid manure storage (12.2 m x 15.24 m (40 ft. x 50 ft.))
- Lean-to shelter to barn 2 (34.4 m x 6 m)
- Connector between barn 1 and 2 (12.2 m x 29 m (40 ft. x 95 ft.))

Construction Conditions (brought forward from Development Permit 94-01)

All storage structures shall be manure tight to prevent seepage.

Construction Conditions (brought forward from Development Permit 95-18)

A minimum of 6 month liquid manure storage container is required to prevent spreading on frozen ground.

All surface runoff from the hog facility and the corral is to be contained in the immediate area of the facility.

Construction Conditions (brought forward from Development Permit 97-147)

That the proposed expansion of 80 sows housed in biotech shelters be located away from the neighboring residence in accordance with the minimum distance separation calculation of 1,031 feet.

That one central location for dry manure storage further away from the neighboring residence to the south be established.

Construction Conditions (brought forward from Approval LA16025)

Lean-to shelter to barn 2

1. The concrete used to construct the manure storage and collection system in the lean-to shelter to barn 2 must have a minimum 28-day strength of 25 MPa. The permit holder shall provide proof to the NRCB that the specifications of the concrete used in the construction have been met. This document must be provided to the NRCB prior to the inspection referenced in condition 9 below or by a later date stated by the NRCB.



Solid manure storage pad

2. The concrete used to construct the manure storage and collection system in the solid manure storage pad must have a minimum 28-day strength of 25 MPa. The permit holder shall provide proof to the NRCB that the specifications of the concrete used in the construction have been met. This document must be provided to the NRCB prior to the inspection referenced in condition 10 below or by a later date stated by the NRCB.

Connector between barn 1 and 2

3. The concrete used to construct the manure storage and collection system in the connector between barn 1 and 2 must have a minimum 28-day strength of 25 MPa. The permit holder shall provide proof to the NRCB that the specifications of the concrete used in the construction have been met. This document must be provided to the NRCB prior to the inspection referenced in condition 12 below or by a later date stated by the NRCB.

Construction completion deadlines

Lean-to shelter to barn 2

4. The permit holder shall complete construction of the manure collection and storage portions of the lean-to shelter to barn 2 prior to December 31, 2019. Upon request, this deadline may be extended by the NRCB in writing.

Solid manure storage pad

5. The permit holder shall complete construction of the manure collection and storage portions of the solid manure storage pad prior to December 31, 2019. Upon request, this deadline may be extended by the NRCB in writing.

Connector between barn 1 and 2

6. The permit holder shall complete construction of the manure collection and storage portions of the connector between barn 1 and 2 prior to December 31, 2019. Upon request, this deadline may be extended by the NRCB in writing.

Post construction inspections

Lean-to to barn 2

7. The permit holder shall not allow livestock in the lean-to to barn 2 until the facility has been inspected by NRCB personnel and determined by them, in writing, to have been constructed in accordance with the terms and conditions of this permit.



Solid manure storage pad

8. The permit holder shall not allow livestock in the solid manure storage pad until the facility has been inspected by NRCB personnel and determined by them, in writing, to have been constructed in accordance with the terms and conditions of this permit.

Connector between barn 1 and 2

9. The permit holder shall not allow livestock in the connector between barn1 and 2 until the facility has been inspected by NRCB personnel and determined by them, in writing, to have been constructed in accordance with the terms and conditions of this permit.