



In consideration of Decision Summary BA25017, Authorization BA25017 is issued to:

Name: Linqunda Dairy (the "permit holder")
Address: Box 7, Site 19, RR1 Barrhead AB T7N 1N2
Contact person: Jan Otten

Permitted construction (based on the submitted site plan):

- Dairy barn addition – 61 m x 9 m x 1 m deep cross over pit
- Expanding EMS –adding 20 m to the length for total dimensions of 75 m x 42 m x 5 m deep

The permit holder shall comply with the requirements of the *Agricultural Operation Practices Act* (AOPA) and the regulations passed pursuant to that Act.

The permit holder shall adhere to the descriptions, the site plan, building plans, engineering reports, operating plan, and other attached documents included with filed Application BA25017.

The permit holder shall contact the NRCB at least 10 working days in advance of the desired inspection date to schedule the inspection in conditions 3 and 5.

Construction conditions

Dairy barn addition

1. Construction completion deadline

The permit holder shall complete construction of the dairy barn addition prior to December 1, 2026. Upon request, this deadline may be extended by the NRCB in writing.

2. Concrete

The concrete used to construct the manure collection and storage liner of the dairy barn addition must meet the specifications for category B (liquid manure shallow pits) and category C (solid manure - wet) in Technical Guideline Agdex 096-93 "Non-Engineered Concrete Liners for Manure Collection and Storage Areas." The permit holder shall provide written proof to the NRCB confirming the specifications of the concrete used. This document must be provided to the NRCB prior to the inspection referenced in condition #3, below, or by a later date stated by the NRCB.

3. Post construction inspections (prior to populating facilities)

The permit holder shall not place livestock or manure in the dairy barn addition until the NRCB has inspected the facility and stated in writing that it has been constructed in accordance with this authorization.

EMS expansion

4. Construction completion deadline

The permit holder shall complete construction of the expanded EMS prior to December 1, 2026. Upon request, this deadline may be extended by the NRCB in writing.



5. Post construction inspections (prior to populating facilities)

The permit holder shall not place manure in the expanded EMS until the NRCB has inspected the facility and stated in writing that it has been constructed in accordance with this authorization.

This Authorization BA25017 becomes effective immediately and needs to be read in conjunction with previously issued permit Approval BA25011. The Authorization conditions will remain in effect unless amended in writing by the NRCB.

August 21, 2025

(Original signed)

Nathan Shirley
Approval Officer